

Haier Biomedical
Intelligent Protection of Life Science

Blood Bank Refrigerators
HXC-158B



Ergonomic Design



Famous Compressor



Stainless Steel Drawer



Condensation Free Design



Intelligent Alarm



Infinite Divided Stainless Steel Drawer

Stainless steel drawer can be unlimited separated based on the demand



Three Types of Alarm

Audible buzzer, visible flashing light, remote alarm



Five Alarm Functions

High/low temperature, power failure, sensor error, low battery, door ajar

Specifications HXC-158B

Technical Data

Type	Drawer-Type
Climate Class	ST
Cooling Type	Forced air cooling
Defrost Mode	Auto
Refrigerant	CFC-Free
Noise((dB(A))	42

Performance

Temperature Range(°C)	2-6
Ambient Temperature(°C)	10-38

Control

Controller	Microprocessor
Display	LED

Electrical Data

Power Supply(V/Hz)	220-240/50/60
Power(W)	350W
Electrical Current(A)	2.6

Dimensions

Capacity(L/Cu.Ft)	158/5.6
Blood Storage Capacity (450ml blood bags)	84
Net/Gross Weight(approx)	113/126(kg) 249.1/277.8(lbs)
Interior Dimension(W*D*H)	460*370*950(mm) 18.1*14.6*37.4(in)
Exterior Dimension(W*D*H)	560*570*1530(mm) 22.0*22.4*60.2(in)
Packing Dimension(W*D*H)	645*675*1680(mm) 25.4*26.6*66.1(in)
Container Load(20'/40'/40'H)	27/54/54



Functions

High/Low Temperature	Y
Power Failure	Y
Sensor Error	Y
Low Battery	Y
Door Ajar	Y
Remote Alarm	Y

Accessories

Caster	Y
Foot	Y
Test Hole	Y
Shelves /Basket	-
Drawers/Inner doors	4/-
USB Interface	Optional
Temp Recorder	Y

Others

Certificate	CE
-------------	----

Haier Medical and Laboratory Products Co., Ltd

Brand Building, Haier Industrial Park, No. 1
Haier Road, Qingdao, 266101, P.R.China
Tel: +86-0532-88936011 / 5955
Website: www.haiermedical.com



Note: If slight difference occurs between pictures and actual products, please refer to actual products. Our company reserves the right of final interpretation to this brochure and please contact with us for further information you might need.





Refrigeración
Congelación **Haier**

 Calle 52a #28-65
Oficina 103
Bogotá - Colombia

 (571) 702 62 93 / (571) 301 524 63 45
 comercial@casametrologica.com

www.casametrologica.com